

VIKASH ALUMINIUM EXTRUSION PVT. LTD.

Phone No: (0657) 2200056, 2200314, 2200315

Email ID: vppl2015@gmail.com


M-21 (P), Phase VI, Gamharia,
Dist. Saraikela Kharsawan,
Jamshedpur - 832108,
Jharkhand.

ITEM	PAGE NO	ITEM	PAGE NO
RECT TUBE	1	1" TWO TRACK BOTTOM HOLLOW	22
SQ. TUBE	2	1" THREE TRACK TOP	23
SINGLE PARTITION	3	1" THREE TRACK BOTTOM	23
DOUBLE PARTITION	4	1" THREE TRACK BOTTOM HOLLOW	23
DOOR MIDDLE SINGLE	5	1" HANDLE	24
DOOR MIDDLE DOUBLE	5	1" INTERLOCK	24
DOOR TOP	6	1" TOP BOTTOM	25
DOOR TOP SINGLE LEG	6	BEARING BOTTOM	25
DOOR BOTTOM	7	MATTING	25
DOOR VERTICAL	7	SEC NO 1821, 1831	26
GLAZING CLIP	8	SEC NO 1841, 1851	27
GLAZING PLATE	8	SEC NO 1856, 1861, 1866, 1871	28
GLASS SEC.12.0mm SOLID	9	SEC NO 1876, 1881, 1886	29
SAMOSA SEC.	9	L-TUBE	30
CURTAIN WALL (SEC 1316)	10	L TUBE WITH GROOVE	30
CURTAIN WALL (SEC 1321)	10	2 1/2 X 1 1/2 L-TUBE (SEC NO 1911, 1912)	31
3/4" TWO TRACK TOP	11	LEG PARTITION	31
3/4" TWO TRACK BOTTOM	11	CURTAIN WALL	32
3/4" THREE TRACK TOP	12	COVER PLATE	33
3/4" THREE TRACK BOTTOM	12	PRESSURE PLATE	33
3/4" FOUR TRACK TOP	13	SEC NO 1946, 1951, 1956, 1961	34
3/4" FOUR TRACK BOTTOM	13	SEC NO 1966, 1971, 1976, 1981	35
3/4" FOUR TRACK BOTTOM	13	MULLION 40mm SERIES	36
SEC NO 1441	14	SHUTTER FRAME 40mm SERIES	36
SEC NO 1446	14	OUTER FRAME 40mm SERIES	37
3/4" TWO TRACK BOTTOM (HOLLOW)	15	G-CLIP 40mm SERIES	37
3/4" THREE TRACK BOTTOM (HOLLOW)	15	LOUVER SECTION (SEC NO 2006, 2011)	38
3/4" HANDLE	16	ROD	39
3/4" INTERLOCK	16	HEXAGONAL ROD	39
3/4" TOP BOTTOM	17	FLAT BAR	40
BEARING BOTTOM	17	PLAIN ROUND TUBE	41
MATTING	17	FLUTED ROUND TUBE	41
SINTEX "A"	18	TOWER BOLT	42
SINTEX "H"	18	STEP LADDER	43
20 mm TWO TRACK TOP	19	C LADDER	43
20 mm TWO TRACK BOTTOM	19	C HANDLE	44
20 mm THREE TRACK TOP	20	D HANDLE	44
20 mm THREE TRACK BOTTOM	20	EQUAL ANGLE	45
20 mm HANDLE	21	UNEQUAL ANGLE	45
20 mm INTERLOCK	21	BULB TEE	46
20 mm TOP BOTTOM	21	PLAIN TEE	46
1" TWO TRACK TOP	22	OUTER Z (SEC NO 2221)	47
1" TWO TRACK BOTTOM	22	Clip 2251	48

VIKASH ALUMINIUM EXTRUSION PVT. LTD, TATA


Ph: (0657) 2200056, 2200314, 2200315, email ID: vppl2015@gmail.com

RECT TUBE




SEC.No.	C/L	A	B	T	WEIGHT
1001	12	36.00	24.00	0.69	0.750-0.850
✓ 1002	12	36.00	24.00	0.75	0.850-1.000
✓ 1003	12	36.00	24.00	0.86	1.000-1.300
✓ 1004	12	36.00	24.00	1.12	1.300-1.500
✓ 1005	12	48.00	24.00	0.67	0.900-1.200
✓ 1006	12	48.00	24.00	0.86	1.200-1.400
1007	12	48.00	24.00	1.00	1.350-1.500
1008	12	48.00	24.00	1.12	1.500-1.700
✓ 1009	12	48.00	24.00	1.25	1.700-1.900
1010	12	48.00	24.00	1.42	1.900-2.100
1011	12	48.00	24.00	1.60	2.200-2.400
1012	12	48.00	24.00	2.00	2.750-3.000
✓ 1013	12	63.00	38.00	0.78	1.500-1.800
✓ 1014	12	63.00	38.00	0.93	1.800-2.000
✓ 1015	12	63.00	38.00	1.46	2.800-3.000
✓ 1016	12	75.00	25.00	0.65	1.500-1.700
✓ 1017	12	100.0	25.00	1.00	2.600-2.900
✓ 1018	12	100.0	38.00	2.00	5.200-5.600
✓ 1019	12	101.6	44.45	1.15	3.200-3.500
✓ 1020	12	101.6	44.45	1.40	3.800-4.100
✓ 1021	12	100.00	38.00	1.05	2.700-3.000
✓ 1022	12	50.00	25.00	1.10	1.700-1.900
✓ 1023	12	63.00	38.00	1.10	2.500-2.800
✓ 1024	12	63.00	25.00		1.200-1.500

SQ. TUBE




SEC.No.	C/L	A	B	T	WEIGHT
1051	12	19.00	19.00	2.00	1.300-1.450
✓ 1052	12	25.00	25.00	0.95	0.900-1.000
✓ 1053	12	38.00	38.00	1.09	1.600-1.800
✓ 1054	12	50.00	50.00	1.06	2.000-2.200
✓ 1055	12	25.00	25.00		0.750-0.850

SINGLE PARTITION




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1081	16	50.00	25.00	0.87	1.900-2.100
✓ 1082	12	50.00	25.00	1.50	2.500-2.700
✓ 1083	15	63.00	38.00	0.94	2.500-2.700
✓ 1084	16	63.00	38.00	1.25	3.400-3.600
✓ 1085	16	63.00	38.00	1.69	4.700-5.000
✓ 1086	16	63.00	38.00	2.00	5.800-6.200
✓ 1087	15	101.0	44.45	1.25	4.650-4.800
✓ 1088	16	101.0	44.45	2.00	7.700-7.900
✓ 1089	16	101.0	44.45	3.00	11.40-11.60
✓ 1090	16	50.00	25.00		2.200-2.500
✓ 1091	16	63.00	38.00		3.000-3.300
✓ 1092	16	63.00	38.00	3.00	7.600-8.100

DOUBLE PARTITION




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1121	16	50.00	25.00	0.75	1.900-2.100
✓ 1122	12	50.00	25.00	1.40	2.500-2.700
✓ 1123	15	63.00	38.00	0.84	2.500-2.700
✓ 1124	16	63.00	38.00	1.16	3.500-3.700
✓ 1125	16	63.00	38.00	1.27	3.800-4.100
✓ 1126	16	63.00	38.00	1.60	4.800-5.000
✓ 1127	16	63.00	38.00	2.00	6.100-6.500
✓ 1128	15	101.0	44.45	1.20	4.650-4.800
✓ 1129	16	101.0	44.45	1.90	7.700-7.900
✓ 1130	16	101.0	44.45	3.00	11.70-11.90
✓ 1131	16	63.00	38.00		3.000-3.300
✓ 1132	16	63.00	38.00	3.00	7.700-8.100

DOOR MIDDLE SINGLE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1161	12	47.50	44.45	1.15	1.900-2.200
✓ 1162	12	47.50	44.45	1.50	2.800-2.950
✓ 1163	12	47.50	44.45	2.00	3.600-3.750
✓ 1164	12	47.50	44.45	2.50	4.400-4.600
✓ 1165	12	83.50	44.45	1.45	3.800-4.000
1166	12	83.50	44.45	2.00	5.000-5.200

DOOR MIDDLE DOUBLE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1180	12	47.50	44.45		1.900-2.200
✓ 1181	12	47.50	44.45	1.05	2.300-2.450
1182	12	47.50	44.45	2.00	3.800-3.950
✓ 1183	12	47.50	44.45	2.55	4.600-4.800
✓ 1184	12	83.50	44.45	1.40	3.800-4.000
✓ 1185	12	83.50	44.45	2.00	5.200-5.400
✓ 1186	16	100.0	44.45	2.00	7.800-8.000
✓ 1187	16	47.50	44.45	1.50	3.700-4.000
✓ 1188	12	101	44.45	1.15	3.500-3.800

DOOR TOP



SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1201	15	47.50	44.45	10.15	1.15	2.500 -2.700
✓ 1202	15	47.50	44.45	10.15	2.50	4.400-4.600
✓ 1203	15	47.50	44.45	10.15	1.30	3.00-3.400

DOOR TOP SINGLE LEG




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1221	12	47.50	44.45	10.15	1.15	2.100-2.300
1222	12	47.50	44.45	10.15	1.25	2.300-2.500
1223	12	47.50	44.45	10.15	1.60	2.800-3.000

VIKASH ALUMINIUM EXTRUSION PVT. LTD, TATA


Ph: (0657) 2200056, 2200314, 2200315, email ID: vppl2015@gmail.com

DOOR BOTTOM




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1240	12	83.50	44.45	9.50	1.20	3.200-3.500
✓ 1241	12	83.50	44.45	9.50	1.50	3.900-4.100
1242	12	83.50	44.45	9.50	2.00	5.000-5.300
1243	12	83.50	44.45	9.50	3.00	7.300-7.500
✓ 1244	12	114.30	44.45	10.10	1.20	3.900-4.100
✓ 1245	12	114.30	44.45	10.10	1.50	4.800-5.000
✓ 1246	12	114.30	44.45	10.10	3.00	9.100-9.500
1247	16	114.30	44.45	25.40	1.50	6.400-6.600
✓ 1248	16	114.30	44.45	25.40	2.50	10.300-10.500
✓ 1249	16	100.00	44.45	25.40	1.15	4.500-5.000

DOOR VERTICAL




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1261	14	47.50	44.45	1.24	3.000-3.200
✓ 1262	14	47.50	44.45	2.19	4.800-5.000
✓ 1263	14	83.50	44.45	2.00	6.100-6.300
✓ 1264	14	47.50	44.45		2.600-2.800
✓ 1265	14	83.50	44.45	1.35	4.500-4.700
✓ 1266	14	47.50	44.45	1.50	3.700-4.000
✓ 1267	14	47.50	44.45	2.50	5.200-5.500
✓ 1268	14	83.50	44.45	3.00	9.000-9.500

GLAZING CLIP




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1280	12	18.40	17.00	0.60	0.220-0.250
✓ 1281	12	18.40	17.00	0.52	0.260-0.280
✓ 1282	12	18.40	17.00	0.60	0.280-0.320
✓ 1283	12	18.40	17.00	0.60	0.350-0.380

GLAZING PLATE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1291	12	44.00	3.40	0.78	0.550-0.650

GLASS SEC. 12.0 mm SOLID

SEC.No.	C/L	A	B	T	WEIGHT
✓ 1301	15	88.00	40.00	2.64	10.800-11.000
✓ 1302	15				8.000-8.400

SAMOSA SEC.

SEC. NO:-1311 ✓




WEIGHT:- 2.800-3.000 kg/12'

CURTAIN WALL




SEC. NO:-1316



WEIGHT:- 3.300-3.500 kg/16'




SEC. NO:-1317



WEIGHT:- 3.300-3.500 kg/16'


CURTAIN WALL

SEC. NO:-1321




WEIGHT:- 5.500-5.700 kg/16'

3/4" TWO TRACK TOP




SEC.No.	C/L	A	B	C	T	WEIGHT
1331	12	61.85	31.75	23.68	0.65	1.200-1.400
✓ 1332	12	61.85	31.75	23.68	0.75	1.400-1.600
✓ 1333	12	61.85	31.75	23.68	0.84	1.600-1.800
✓ 1334	12	61.85	31.75	23.68	0.94	1.800-2.000
✓ 1335	12	61.85	31.75	23.68	1.04	2.000-2.200
1336	12	61.85	31.75	23.68	1.14	2.200-2.500
✓ 1337	12	61.85	31.75	23.68	1.40	2.700-2.900

3/4" TWO TRACK BOTTOM




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1351	12	61.85	31.75	24.50	0.65	1.500-1.700
✓ 1352	12	61.85	31.75	24.50	0.85	1.700-1.900
✓ 1353	12	61.85	31.75	24.50	1.00	2.000-2.200
✓ 1354	12	61.85	31.75	24.50	1.10	2.200-2.500
✓ 1355	12	61.85	31.75	24.50	1.55	3.100-3.400

3/4" THREE TRACK TOP




SEC.No.	C/L	A	B	C	T	WEIGHT
1371	12	92.0	31.75	23.20	0.65	1.800-2.000
✓ 1372	12	92.0	31.75	23.20	0.72	2.000-2.200
✓ 1373	12	92.0	31.75	23.20	0.87	2.400-2.600
✓ 1374	12	92.0	31.75	23.20	0.98	2.700-3.000
✓ 1375	12	92.0	31.75	23.20	1.30	3.400-3.600
✓ 1376	12	92.0	31.75	23.20	1.50	3.700-3.900

3/4" THREE TRACK BOTTOM




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1391	12	92.00	31.75	24.50	0.75	2.500-2.750
✓ 1392	12	92.00	31.75	24.50	0.89	2.800-3.000
1393	12	92.00	31.75	24.50	1.10	3.200-3.400
1394	12	92.00	31.75	24.50	1.30	3.900-4.100
✓ 1395	12	92.00	31.75	24.50	1.50	4.500-4.700

3/4" FOUR TRACK TOP




SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1411	122.40	31.50	0.97	0.901	3.300-3.600
1412	122.40	31.50	1.30	1.142	4.180-4.500
1413	122.40	31.50	1.50	1.585	4.800-5.100

3/4" FOUR TRACK BOTTOM



SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1421	122.40	31.50	1.00	0.928	4.000-4.500
1422	122.40	31.50	1.30	1.321	4.800-5.200
1423	122.40	31.50	1.50	1.580	5.800-6.200

3/4"FOUR TRACK BOTTOM



SEC.No.	A	B	T	Wt.(kg/Mtr.)	Wt.(kg/12')
1431	122.40	31.50	1.00	0.928	3.850-4.200
1432	122.40	31.50	1.30	1.377	5.000-5.400
1433	122.40	31.50	1.50	1.580	5.800-6.200


[illegible]

WEIGHT:- 1.717 kg/12'

WEIGHT:- 2.000 kg/12'

3/4" TWO TRACK BOTTOM (HOLLOW)


SEC. NO:-1451



WEIGHT:- 3.700-3.900 kg/12'


3/4" THREE TRACK BOTTOM (HOLLOW)

SEC. NO:-1456




WEIGHT:- 5.000-5.400 kg/12'

3/4" HANDLE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1461	16	40.00	18.00	0.70	1.300-1.500
✓ 1462	16	40.00	18.00	0.95	1.750-1.950
✓ 1463	16	40.00	18.00	1.20	2.000-2.260
✓ 1464	16	40.00	18.00	1.50	2.500-2.700


3/4" INTERLOCK




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1491	16	40.00	27.00	0.71	1.450-1.650
✓ 1492	16	40.00	27.00	0.84	1.750-1.950
✓ 1493	16	40.00	27.00	1.20	2.530-2.800
✓ 1494	16	40.00	27.00	1.50	3.100-3.300

3/4" TOP BOTTOM


SEC.No.	C/L	A	B	T	WEIGHT
✓ 1511	16	40.00	18.00	0.70	1.300-1.450
✓ 1512	16	40.00	18.00	0.87	1.700-1850
✓ 1513	16	40.00	18.00	1.50	2.600-2.800

BEARING BOTTOM


SEC.No.	C/L	A	B	T	WEIGHT
1531	12	52.00	18.00	1.01	1.600-2.000
✓ 1530	16	52.00	52.00		1.400

MATTING

SEC.No.	C/L	A	B	T	WEIGHT
✓ 1540	16	42.00	18.00	0.75	1.500-1.600
✓ 1541	12	42.00	18.00	1.16	1.500-1.700
1542	12	40.00	18.00	1.20	1.050-1.250


SINTEX - " A "

SEC.No.	C/L	A	B	C	T	WT. RANGE
✓1551	16'	40.00	23.60	16.30	1.00	1.800-2.000

SINTEX - " H "


SEC.No.	C/L	A	B	C	T	WT. RANGE
1556	12'	60.00	23.00	16.50	0.84	1.500-1.700

20 mm TWO TRACK TOP




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1560	16	62.00	29.50			2.100-2.200
✓ 1561	16	62.00	29.50	23.80	0.85	2.400-2.600
✓ 1562	16	62.00	29.50	23.40	1.10	2.800-3.000
✓ 1563	16	62.00	29.50	23.80	1.50	4.000-4.200
✓ 1564	16				1.65	

20 mm TWO TRACK BOTTOM




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1581	16	62.00	29.50	23.80	0.80	2.450-2.650
✓ 1582	16	62.00	29.50	23.40	1.05	2.800-3.100
✓ 1583	16	62.00	29.50	23.80	1.50	4.500-4.900
✓ 1584	16				1.65	

20 mm THREE TRACK TOP




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1601	16	92.00	29.50	23.50	0.95	3.600-3.800
✓ 1602	16	92.00	29.50	22.13	1.50	5.500-5.800
✓ 1600	16	92.00	29.50			3.100-3.400
✓ 1603	16	92.00	29.50			4.100-4.400

20 mm THREE TRACK BOTTOM




SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1620	16	92.00	29.50	23.50		3.300-3.800
✓ 1621	16	92.00	29.50	23.50	0.95	3.800-4.000
✓ 1622	16	92.00	29.50	22.13	1.50	6.200-6.500
✓ 1623	16	92.00	29.5			4.400-4.700

20mm HANDLE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1641	12	38.00	20.00	0.92	1.100-1.300
✓ 1642	12	38.00	20.00	1.00	1.200-1.400
✓ 1643	12	38.00	20.00	1.50	1.700-1.900
✓ 1644	12			1.65	1.900-2.100

20mm INTERLOCK




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1651	12	38.00	20.00	0.82	1.200-1.400
✓ 1652	12	38.00	20.00	1.20	1.700-1.900
✓ 1653	12	38.00	20.00	1.50	2.000-2.200
✓ 1654	12			1.65	2.300-2.500

20mm TOP BOTTOM




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1661	12	41.00	20.00	1.02	1.200-1.350
✓ 1662	12	41.00	20.00	1.50	1.700 - 1.900
✓ 1663	12	41.00	20.00	1.20	1.400
✓ 1664	12			1.65	

1" TWO TRACK TOP



SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1671	12	75.00	25.00	28.20	2.00	3.300-3.500


1" TWO TRACK BOTTOM



SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1681	12	75.00	25.00	28.20	2.00	3.800-4.000


1" TWO TRACK BOTTOM HOLLOW

SEC. NO:- 1691




WEIGHT: 4.000-4.300 kg/12'

1" THREE TRACK TOP



SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1701	12	116.0	25.00	29.70	2.00	4.700-5.000


1" THREE TRACK BOTTOM



SEC.No.	C/L	A	B	C	T	WEIGHT
✓ 1711	12	116.0	25.00	29.60	2.00	5.500-5.800


1" THREE TRACK BOTTOM HOLLOW

SEC. NO:- 1721




WEIGHT: 5.800-6.200 kg/12'

1" HANDLE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1741	15	50.00	25.00	0.85	1.800-2.100
✓ 1742	15	50.00	25.00	1.20	2.100-2.300
1743	12	50.00	25.00	1.30	2.260-2.400
1744	12	50.00	25.00	1.40	2.400-2.600
1745	12	50.00	25.00	1.50	2.600-2.800
✓ 1746	12	50.00	25.00	2.00	3.400-3.700

1" INTERLOCK




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1761	12	50.00	25.00	1.20	2.300-2.400
1762	12	50.00	25.00	1.30	2.400-2.600
1763	12	50.00	25.00	1.50	2.800-3.100
✓ 1764	12	50.00	25.00	2.00	3.500-3.750
✓ 1760	12	50.00	25.00	0.70	1.600 - 1.900

1" TOP BOTTOM




SEC.No.	C/L	A	B	T	WEIGHT
✓ 1780	15	45.00	25.00		2.300-2.500
✓ 1781	15	50.00	25.00	0.85	1.800-2.100
✓ 1782	15	50.00	25.00		2.200-2.500

BEARING BOTTOM




SEC.No.	C/L	A	B	T	WEIGHT
1791	12	60.00	25.00	1.01	2.400-2.600
1792	12	60.00	25.00	1.32	2.600-2.800
✓ 1793	12	60.00	25.00	2.00	3.800-4.100


MATTING



SEC.No.	C/L	A	B	T	WEIGHT
✓ 1801	12	50.00	25.00	0.85	1.600-1.800
✓ 1802	12	50.00	25.00	1.10	1.900-2.150
1803	12	50.00	25.00	1.30	2.300-2.500
1804	12	50.00	25.00	1.50	2.700-2.900
✓ 1805	12	50.00	25.00	2.00	3.500-3.750


SEC.No.-1821

SEC.No.	C/L	T	WEIGHT
1821	12	2.00	5.000-5.400
✓ 1822	12	1.30	3.400-3.800

SEC.No.-1831


SEC.No.	C/L	T	WEIGHT
1831	12	1.90	6.400-6.800
✓ 1832	12	1.40	4.600-5.000

SEC.No.-1841




SEC.No.	C/L	T	WEIGHT
1841	12	1.90	7.000-7.500
✓ 1842	12	1.33	5.000-5.500

SEC.No.-1851




SEC.No.	C/L	T	WEIGHT
1851	12	1.90	9.000-9.500
✓ 1852	12	1.40	7.400-7.700

SEC. NO:— 1856




SEC.No.	C/L	T	WEIGHT
1856	12	1.70	3.200-3.400
✓ 1857	12	1.00	2.300-2.500

SEC. NO:— 1861




SEC.No.	C/L	T	WEIGHT
1861	12	1.40	2.300-3.500
✓ 1862	12	1.30	3.100-3.300

SEC. NO:— 1866



SEC.No.	C/L	T	WEIGHT
1866	12	1.70	3.500-3.700
✓ 1867	12	1.35	3.000-3.200


SEC. NO:— 1871



WEIGHT: 4.100–4.300 kg/12'


SEC.No. – 1876

60 X 18 SHUTTER




WEIGHT:– 2.000 kg/12'

SEC.No. – 1881




WEIGHT:– 2.350 kg/12'

SEC.No. – 1886




WEIGHT:– 2.000 kg/12'

L-TUBE



SEC.No.	C/L	A	B	T	WEIGHT
✓ 1891	12	38.00	24.50	0.85	1.200-1.500
1892	12	50.00	25.00	1.10	1.300-1.500
1893	12	50.00	25.00	1.50	1.700-1.900
✓ 1894	12	38.00	25.00		1.700-1.900


'L' TUBE WITH GROOVE



SEC.No.	C/L	A	B	T	WEIGHT
✓ 1901	12	45.00	24.00	0.82	1.100-1.300
✓ 1902	12	45.00	24.00	1.10	1.500-1.700
1903	12	45.00	24.00	1.50	2.000-2.300


2 1/2 X 1 1/2 L-TUBE

SEC.No.-1911 ✓



WEIGHT:— 4.000 kg/16'


SEC.No.-1912 ✓



WEIGHT:— 2.8-3.0 kg/16'


SEC.No.-1913 ✓

LEG PARTITION




WEIGHT:— 3.700 - 4.300 kg/16'

CURTAIN WALL




SEC.No.	C/L	A	B	C	T	WT. RANGE
✓1921	15'	80.00	50.00	6.000	1.50	4.800-5.100




SEC.No.	C/L	A	B	C	T	WT. RANGE
✓1931	15'	104.0	55.00	96.00	1.70	7.100-7.500

COVER PLATE




SEC.No.	C/L	A	B	C	T	WT. RANGE
✓1936	15'	55.00	15.00	50.85	1.45	1.500-1.700

PRESSORE PLATE




SEC.No.	C/L	A	B	C	T	WT. RANGE
✓1941	15'	53.00	8.000	51.35	2.10	1.900-2.100

SEC. NO:-1946




WEIGHT:- 2.100-2.400kg/12'

SEC. NO:-1951




WEIGHT:- 2.100-2.300 kg/12'

SEC. NO:- 1956



WEIGHT:- 1.500-1.800 kg/12'

SEC. NO:- 1961




WEIGHT:- 0.650-0.700 kg/12'

VIKASH ALUMINIUM EXTRUSION PVT. LTD, TATA


Ph: (0657) 2200056, 2200314, 2200315, email ID: vppl2015@gmail.com

SEC. NO:- 1966




SEC.No.	A	B	T	Wt.(kg/12')
1966	42.00	31.00	1.20	1.500-1.800
1967	42.00	31.00	1.50	1.800-2.100

SEC. NO:- 1971




SEC.No.	A	B	T	Wt.(kg/12')
1971	42.00	31.20	1.20	2.200-2.400
1972	42.00	31.20	1.50	2.650-2.950

SEC. NO:- 1976




SEC.No.	A	B	T	Wt.(kg/12')
1976	46.20	42.00	1.20	2.190-2.390
1977	46.20	42.00	1.50	2.650-2.950

SEC. NO:- 1981




SEC.No.	A	B	T	Wt.(kg/12')
1981	27.80	15.00	1.05	0.770-0.870
1982	27.80	15.00	1.50	1.000-1.200

MULLION 40 mm SERIES




SEC.No.	C/L	A	B	C	T	WT. RANGE
1986	12'	63.00	40.00	27.00	1.70	3.300-3.500


SHUTTER FRAME 40 mm SERIES



SEC.No.	C/L	A	B	C	T	WT. RANGE
1991	12'	47.00	42.00	29.00	1.40	2.200-2.400

OUTER FRAME 40 mm SERIES


SEC.No.	C/L	A	B	C	T	WT. RANGE
1996	12'	41.00	40.00	22.60	1.40	2.100-2.300

G - CLIP 40 mm SERIES

SEC.No.	C/L	A	B	T	WT. RANGE
2001	12'	25.30	23.00	1.20	0.550-0.650


LOUVER SECTION

SEC.No.-2006




WEIGHT: 0.810 kg/12'


SEC.No.-2011




WEIGHT: 2.770 kg/12'

ROD


SEC.No.	C/L	A	WT. RANGE
2021	12'	9.000	0.600-0.630
2022	12'	9.100	0.630-0.660
2023	12'	9.400	0.660-0.695
2024	12'	9.700	0.710-0.740
2025	12'	9.800	0.730-0.770
2026	12'	10.00	0.770-0.800
2027	12'	10.70	0.870-0.905
2028	12'	11.40	0.975-1.050
2029	12'	11.60	1.010-1.050
2030	12'	11.90	1.080-1.100
2031	12'	14.40	1.565-1.650
2032	12'	14.80	1.700-1.750
2033	12'	15.50	1.840-1.885
2034	12'	17.30	2.250-2.350

HEXAGONAL ROD


SEC.No.	C/L	A	WT. RANGE
2051	12'	17.40	2.600-2.650
2052	12'	17.80	2.700-2.760
2053	12'	18.70	3.000-3.100

FLAT BAR

SEC.No.	C/L	A	T	WT. RANGE
2071 ✓	12'	25.00	3.000	0.750-0.850
2072 ✓	12'	25.00	5.000	1.200-1.400
2073 ✓	12'	25.00	6.000	1.500-1.700
2074 ✓	12'	25.00	10.00	2.500-2.700
2075	12'	25.40	5.500	1.250-1.450
2076	12'	25.40	10.00	2.400-2.600
2077	12'	28.00	6.000	1.650-1.850
2078	12'	35.00	3.000	1.036-1.136
2079 ✓	12'	40.00	6.000	2.400-2.600
2080 ✓	12'	40.00	10.00	4.000-4.200
2081 ✓	12'	50.00	6.000	3.000-3.200
2082	12'	50.00	10.00	4.950-5.150
2083	12'	60.00	10.00	5.800-6.000
2084	12'	75.00	5.000	3.700-3.900
2085	12'	75.00	6.000	4.450-4.650
2086	12'	100.0	6.000	5.900-6.100
2087	12'	100.0	10.00	9.750-9.950
2085	12'	75.00	6.000	4.450-4.650
2086	12'	100.0	6.000	5.900-6.100
2087	12'	100.0	10.00	9.750-9.950
2088 ✓	12'	30.00	6.000	
2089 ✓	12'	30.00	10.00	2.950
2090 ✓	12'	100.0	12.00	13.000


PLAIN ROUND TUBE

SEC.No.	C/L	OD	ID	T	WT. RANGE
2101	12'	16.00	13.00	1.50	0.600-0.620
2102	12'	16.00	12.80	1.60	0.700-0.720
2103	12'	19.10	12.80	3.15	1.800-1.900
✓2104	12'	19.10	16.00	1.55	0.700-0.750
2105	12'	20.00	18.00	1.00	0.550-0.570
2106	12'	25.40	19.10	3.15	2.000-2.100
2107	12'	25.40	22.00	1.70	1.000-1.050
2108	12'	31.50	25.40	3.05	3.300-3.400
2109	12'	31.50	28.00	1.75	1.600-1.700
2110	12'	32.00	19.00	6.50	5.100-5.200
2111	12'	38.00	22.00	8.00	7.350-7.450
2112	12'	38.00	35.00	1.50	1.700-1.800
2113	12'	50.00	40.00	5.00	6.700-6.800
2114	12'	60.00	45.00	5.00	8.400-8.500
2115	12'	63.00	57.00	3.00	6.000-6.200
✓2116	12'	18.00			0.500
✓2117	12'	18.00			0.620
✓2118	12'	18.00			0.770-0.820
✓2119	12'	19.10	16.00	1.75	0.900-1.000


FLUTED ROUND TUBE

SEC.No.	C/L	A	B	T	WT. RANGE
2131	12'	24.80	20.80	2.00	1.250-1.450

TOWER BOLT




SEC.No.	C/L	A	B	C	T	WT. RANGE
2141	12'	31.50	13.10	10.80	1.10	0.850-0.1050




SEC.No.	C/L	A	B	C	T	WT. RANGE
2146	12'	38.00	16.00	12.60	1.70	1.500-1.600

STEP LADDER




SEC.No.	C/L	A	B	C	T	WT. RANGE
2151	12'	65.00	30.50	6.50	0.90	1.500-1.700
✓2152	12'	65.00	30.50	6.50	1.00	1.700-2.000

C LADDER




SEC.No.	C/L	A	B	C	T	WT. RANGE
2156	12'	60.00	31.50	40.00	1.50	1.600-1.800
✓2157	12'	66.00	31.50	40.00	2.40	2.800-3.100
2158	12'	66.00	31.50	40.00	3.00	3.400-3.700

C HANDLE




SEC.No.	C/L	A	B	C	D	E	F	WT. RANGE
2166	12'	100.7	64.50	27.80	32.00	2.35	1.80	3.500-3.800
2167	12'	128.0	85.50	36.00	36.00	3.00	2.50	5.900-6.200

D HANDLE




SEC.No.	C/L	A	B	C	D	E	F	WT. RANGE
2176	12'	98.00	62.00	24.00	24.00	3.00	2.30	3.850-4.150
2177	12'	121.0	83.00	30.00	26.50	2.90	3.60	5.500-5.800

EQUAL ANGLE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 2186	12	25.00	25.00	1.00	0.500-0.600
✓ 2187	12	25.00	25.00	1.50	0.700- 0.800
✓ 2188	12	25.00	25.00		1.100-1.300
✓ 2189	12	25.00	25.00		1.400-1.600
✓ 2190	12	50.00	50.00	3.00	3.00

UNEQUAL ANGLE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 2195	12	38.00	25.00	2.30	1.200-1.400
✓ 2196	12	38.00	25.00	2.90	1.700-1.900

BULB TEE




SEC.No.	C/L	A	B	T	WEIGHT
✓ 2206	12	25.00	25.00	1.20	0.600-0.700
✓ 2207	12	38.10	25.40	1.15	0.750-0.850
✓ 2208	12	25.00	25.00	1.45	0.850 - 0.950
✓ 2209	12	38.10	25.40	1.45	0.950 - 1.050

PLAIN TEE



SEC.No.	C/L	A	B	T	WEIGHT
2216	12	19.00	19.00	1.10	0.400-0.500
✓ 2217	12	25.00	25.00	1.10	0.400-0.500

Outer Z




SEC.No.	C/L	A	B	T	WEIGHT
✓ 2221	16				1.700-2.000
✓ 2222	16				2.000-2.300

G CHANNEL



SEC.No.	C/L	A	B	T	WEIGHT
✓	12	36.00	36.00	2.00	2.200 - 2.500

DOUBLE GLASS CHANNEL



SEC.No.	C/L	A	B	T	WEIGHT
✓ 2231	12	22.00	12.00	0.75	0.400-0.450
✓ 2232	12	22.00	12.00	1.02	0.500-0.550
✓ 2233	12	22.00	12.00	1.20	0.600-0.650
✓ 2234	12	25.00	12.00	0.72	0.400-0.450
✓ 2235	12	25.00	12.00	0.98	0.500-0.550
✓ 2236	12	25.00	12.00	1.15	0.600-0.650

✓ 2251 Clip



0.450-0.480kg / 12ft

Ph: (0657) 2200056, 2200314, 2200315, email ID: vppl2015@gmail.com

✓ 2261

