



## UNEQUAL CHANNEL




Section No.	A	B	T	Weight in Kg. / 12 ft.
1130	25.40	12.70	2.50	1.100-1.250
1131	25.40	12.70	3.00	1.250-1.500
1135	31.75	12.70	1.60	0.800-1.000
1136	31.75	12.70	2.00	1.000-1.200
1137	31.75	12.70	2.50	1.200-1.500
1138	31.75	12.70	3.00	1.500-1.800

## EQUAL CHANNEL




Section No.	A	B	T	Weight in Kg. / 12 ft.
1152	9.52	9.52	0.80	0.200-0.240
1153	9.52	9.52	1.00	0.250-0.280
1155	12.70	12.70	0.70	0.220-0.250
1156	12.70	12.70	0.80	0.300-0.350
1157	12.70	12.70	1.00	0.350-0.400
1158	12.70	12.70	1.15	0.400-0.500

## DOUBLE CHANNEL




Section No.	A	B	T	Weight in Kg. / 12 ft.
1205	18.00	11.00	0.65	0.300-0.350
1206	18.00	11.00	0.75	0.350-0.400
1213	22.00	11.50	0.70	0.350-0.400
1214	22.00	11.50	0.80	0.400-0.450
1215	22.00	11.50	0.90	0.450-0.500
1216	22.00	11.50	1.00	0.500-0.550
1217	22.00	11.50	1.10	0.550-0.600
1218	22.00	11.50	1.20	0.600-0.650
1219	22.50	12.00	1.40	0.650-0.750
1235	30.50	15.20	0.70	0.450-0.550
1236	30.50	15.20	1.10	0.750-0.850
1237	30.50	15.20	1.30	0.850-1.000

## EQUAL ANGLE




Section No.	A	T	Weight in Kg. / 12 ft.
1304	12.00	0.60	0.120-0.150
1305	12.00	1.00	0.160-0.200
1306	12.70	1.40	0.240-0.280
1307	18.00	0.70	0.240-0.260
1308	18.00	0.90	0.300-0.350
1321	19.05	1.50	0.500-0.550
1325	19.05	2.00	0.700-0.750
1326	19.05	2.60	0.900-0.950
1327	19.05	3.00	1.100-1.150
1331	24.00	0.70	0.320-0.380
1332	24.00	1.00	0.450-0.500
1333	25.40	1.20	0.550-0.600
1334	25.40	1.40	0.650-0.750
1335	25.40	1.75	0.800-0.900
1336	25.40	2.10	0.950-1.100
1348	32.00	2.00	1.200-1.350
1349	32.00	2.30	1.400-1.550
1360	38.10	1.40	1.100-1.300
1361	38.10	2.35	1.700-1.800
1362	38.10	2.80	1.900-2.100
1363	38.10	3.20	2.100-2.400
1364	38.10	3.50	2.400-2.700
1365	40.00	2.90	2.250-2.400
1366	40.00	4.00	3.000-3.300
1370	50.00	3.00	2.800-3.200
1371	50.00	3.50	3.200-3.600
5032	60.00	3.80	4.200-4.800

## UNEQUAL ANGLE




Section No.	A	B	T	Weight in Kg. / 12 ft.
1394	38.10	20.00	2.50	1.300-1.500
1395	38.10	25.40	2.00	1.100-1.300
1396	38.10	25.40	2.40	1.300-1.600
1397	38.10	25.40	2.80	1.600-1.800
1398	38.10	25.40	3.10	1.800-2.000

## FLUTED TUBE




Section No.	D	T	Weight in Kg. / 12 ft.
1423	24.00	0.65	0.550-0.650
1424	24.00	0.80	0.700-0.800
1425	24.00	1.10	0.900-1.100
1426	25.40	1.25	1.250-1.400
1427	25.40	1.40	1.400-1.600

## ROUND TUBE




Section No.	D	T	Weight in Kg. / 12 ft.
1806	9.52	0.65	0.150-0.180
1807	9.52	0.90	0.200-0.240
1824	12.70	0.65	0.200-0.240
1825	12.70	0.80	0.240-0.280
1826	12.70	1.40	0.400-0.600
1855	15.00	0.80	0.350-0.450
1856	15.00	1.30	0.550-0.650
1857	15.00	2.00	0.850-1.100
1866	18.50	0.75	0.400-0.450
1867	19.00	0.85	0.450-0.500
1868	19.00	0.95	0.500-0.550
1869	19.00	1.05	0.550-0.650
1870	20.00	1.60	0.950-1.200
1913	25.00	1.30	1.000-1.200
1914	25.00	2.00	1.350-1.450
1925	31.75	2.00	1.800-2.200
1926	31.75	3.00	2.400-2.800

## SQUARE TUBE




Section No.	A	T	Weight in Kg. / 12 ft.
2105	12.00	0.55	0.280-0.350
2106	12.70	1.05	0.450-0.550
2113	19.05	0.70	0.500-0.550
2114	19.05	0.90	0.550-0.700
2115	20.00	2.00	1.400-1.700
2124	25.00	0.70	0.600-0.650
2125	25.00	0.80	0.700-0.800
2130	25.40	1.00	0.900-1.050
2131	25.40	1.20	1.050-1.200
2132	25.40	1.40	1.200-1.300
2133	25.40	1.60	1.400-1.600
2137	25.40	1.60	1.900-2.100
2143	38.10	1.15	1.600-1.900
2144	38.10	1.40	1.900-2.100
2152	50.80	1.00	1.900-2.100
2153	50.80	1.25	2.400-2.600
2156	50.80	2.00	3.900-4.200

## RECTANGULAR TUBE




Section No.	A	B	T	Weight in Kg. / 12 ft.
2208	38.00	25.40	0.80	0.950-1.050
2209	38.00	25.40	1.10	1.300-1.500
2210	38.10	25.40	2.00	2.400-2.600
2214	50.00	25.00	0.80	1.100-1.300
2215	50.80	25.40	1.00	1.400-1.600
2216	50.80	25.40	1.20	1.700-1.900
2217	50.80	25.40	1.40	2.000-2.200
2218	50.80	25.40	1.80	2.800-3.000
2219	50.80	25.40	3.20	4.400-5.000
2222	63.50	38.10	0.90	1.800-2.000
2223	63.50	38.10	1.10	2.000-2.300
2224	63.50	38.10	1.20	2.300-2.500
2225	63.50	38.10	1.40	2.600-2.800
2226	63.50	38.10	1.60	2.800-3.200
2227	63.50	38.10	1.90	3.800-4.200
2228	63.50	38.10	2.10	4.200-4.500
2237	75.00	25.40	1.10	2.000-2.400
2238	75.00	25.40	2.00	3.800-4.200
2270	101.60	25.40	2.00	4.500-4.800
2272	101.60	32.00	1.70	4.200-4.600
2274	101.60	38.10	1.60	4.200-4.600
2276	100.00	40.00	2.00	5.600-5.800
2278	101.50	44.45	1.35	3.800-4.000
2279	101.50	44.45	2.10	5.800-6.200
2280	101.50	44.45	3.00	8.600-9.000
2281	101.50	44.45	3.50	10.000-11.000
5066	44.00	30.50	1.00	1.400-1.800
5067	32.00	17.00	1.00	0.950-1.250

## LADDER




Section No.	A	B	C	T	Weight in Kg. / 20 ft.
2701	66.00	31.75	40.0	1.80	3.500-3.800
2702	66.00	31.75	40.0	2.30	4.500-5.000
2703	66.00	31.75	40.0	2.50	5.000-5.500
2704	66.00	31.75	40.0	3.00	5.900-6.300
2705	66.00	31.75	40.0	3.50	7.700-8.200
2706	66.00	31.75	40.0	4.00	8.600-9.000

## MULLION STEP




Section No.	A	B	T	Weight in Kg. / 12 ft.
2734	65.00	27.00	1.10	1.800-2.100
2735	65.00	27.00	1.40	2.100-2.500
2736-B	65.00	33.00	1.20	2.000-2.300

SPL LADDER




Section No.	A	B	T	Weight in Kg. / 19.5 ft.
2740	76.30	27.00	1.80	2.400-2.600

SPL MULLION STEP




Section No.	A	B	T	Weight in Kg. / 12 ft.
2745	74.80	29.40	1.80	2.800-3.200

### DOOR TOP




Section No.	A	B	T	Weight in Kg. / 12 ft.
3001	47.00	44.45	0.90	2.000-2.300
3002	47.00	44.45	1.05	2.300-2.600
3003	47.00	44.45	1.25	2.600-3.500
3004	47.00	44.45	2.00	3.600-4.000

### DOOR BOTTOM




Section No.	A	B	T	Weight in Kg. / 12 ft.
3008	95.00	44.45	0.85	2.800-3.200
3009	95.00	44.45	1.30	3.500-4.000
3010	95.00	44.45	1.40	4.000-4.500
3011	95.00	44.45	2.00	5.500-6.000
3014	100.00	45.00	2.50	7.500-8.500

DOOR VERTICAL




Section No.	A	B	T	Weight in Kg. / 7 ft.
3024	47.00	44.45	0.90	1.200-1.400
3025	47.00	44.45	1.20	1.400-1.600
3026	47.00	44.45	1.30	1.600-1.800
3027	47.00	44.45	1.40	1.800-2.000
3028	47.00	44.45	2.00	2.400-2.600

85mm DOOR VERTICAL



Section No.	A	B	T	Weight in Kg. / 7 ft.
3035	85.00	44.45	2.20	4.500-5.000
3036	85.00	44.45	3.00	5.500-6.000


## PARTITION - SINGLE GROOVE



Section No.	A	B	T	Weight in Kg. / 12 ft.
3101	50.80	25.40	0.70	1.200-1.400
3102	50.80	25.40	0.80	1.400-1.600
3103	50.80	25.40	0.90	1.800-2.000
3103 A	50.80	25.40	1.60	2.400-2.800
3107 S	60.00	35.10	0.70	1.500-1.700
3107	63.50	38.10	0.85	1.800-2.000
3108	63.50	38.10	1.00	2.000-2.200
3109	63.50	38.10	1.10	2.200-2.400
3110	63.50	38.10	1.20	2.400-2.600
3111	63.50	38.10	1.40	2.800-3.100
3112	63.50	38.10	1.60	3.300-3.600
3113	63.50	38.10	2.00	4.000-4.400
3114	63.50	38.10	2.50	5.000-5.500
3114-A	63.50	38.10	3.00	5.500-6.500
3133	101.60	44.45	1.20	3.800-4.200
3134	101.60	44.45	2.00	5.800-6.800
3135	101.60	44.45	2.50	7.100-7.500
3136	101.60	44.45	3.00	8.500-9.000
3137	101.60	44.45	3.50	9.000-10.000
3138 SDG	101.60	44.45	2.50	7.000-8.000

**SDG** : Single groove - Double Glass


## PARTITION - DOUBLE GROOVE




Section No.	A	B	T	Weight in Kg. / 12 ft.
3104	50.80	25.40	0.65	1.300-1.600
3105	50.80	25.40	0.75	1.600-1.850
3106	50.80	25.40	1.10	1.850-2.200
3106 A	50.80	25.40	1.80	2.200-2.600
3115 S	60.00	35.10	0.65	1.500-1.700
3115	63.50	38.10	0.80	1.800-2.000
3116	63.50	38.10	1.00	2.000-2.200
3117	63.50	38.10	1.10	2.200-2.400
3118	63.50	38.10	1.30	2.400-2.600
3119	63.50	38.10	1.40	2.800-3.100
3120	63.50	38.10	1.60	3.300-3.500
3121	63.50	38.10	2.00	4.100-4.400
3122	63.50	38.10	2.50	5.000-5.500
3123	63.50	38.10	3.00	5.500-6.500
3140	101.60	44.45	1.20	3.800-4.200
3141	101.60	44.45	1.30	4.200-4.500
3142	101.60	44.45	1.45	4.500-5.500
3143	101.60	44.45	2.00	5.800-6.800
3144	101.60	44.45	2.40	7.000-8.000
3145	101.60	44.45	3.00	8.500-9.000
3146	101.60	44.45	3.50	9.000-10.000
3147 DDG	101.60	44.45	2.50	7.500-8.500

**DDG : Double groove - Double Glass**

## DOOR MIDDLE




Section No.	A	B	T	Weight in Kg. / 12 ft.
3148	47.00	44.45	1.10	2.000-2.500
3149	47.00	44.45	1.40	2.500-3.000
3150	47.00	44.45	1.70	3.000-3.500
3151	47.00	44.45	2.00	3.500-4.000
3151-A	47.00	44.45	3.00	5.000-6.000




Section No.	A	B	T	Weight in Kg. / 12 ft.
3152	47.00	44.45	1.00	2.000-2.500
3153	47.00	44.45	1.30	2.500-3.000
3154	47.00	44.45	1.60	3.000-3.500
3154-A	47.00	44.45	2.00	3.500-4.000
3154-B	47.00	44.45	2.50	4.000-5.000

### GLAZING CLIP




Section No.	A	B	T	Weight in Kg. / 12 ft.
3155	17.00	17.00	0.50	0.220-0.250
3156	17.00	17.00	0.70	0.250-0.300
3157	17.00	17.00	0.80	0.300-0.350
3158	17.00	17.00	0.90	0.350-0.400
3159	17.00	17.00	1.00	0.400-0.500

### GLAZING FLAT




Section No.	A	B	T	Weight in Kg. / 12 ft.
3161	44.45	2.85	0.80	0.550-0.650
3162	44.45	2.85	1.10	0.700-0.800

### GLAZING ANGLE




Section No.	A	B	T	Weight in Kg. / 12 ft.
3167	31.75	19.00	0.90	0.600-0.700
3168	31.75	19.00	1.10	0.700-0.800

### 12MM SHUTTER




Section No.	A	B	T	Weight in Kg. / 12 ft.
3201	30.50	14.70	0.75	0.800-0.950
3202	30.50	14.70	0.90	0.950-1.100
3203	30.50	14.70	1.20	1.100-1.300

### 12mm INTER LOCK




Section No.	A	B	T	Weight in Kg. / 12 ft.
3206	30.50	20.70	0.70	0.800-0.950
3207	30.50	20.70	0.90	0.950-1.100
3208	30.50	20.70	1.20	1.100-1.300

### BABY TRACK




Section No.	A	B	T	Weight in Kg. / 12 ft.
3214	22.90	21.10	0.70	0.450-0.600
3215	22.90	21.10	0.90	0.600-0.800

### MINI TRACK




Section No.	A	B	T	Weight in Kg. / 12 ft.
3221	45.00	22.20	0.90	0.950-1.100
3222	45.00	22.20	1.10	1.100-1.300

### TWO TRACK GUTTER (15mm)




Section No.	A	B	C	T	Weight in Kg. / 12 ft.
3225	45.00	35.00	30.00	1.00	1.800-2.200
3226	45.00	35.00	30.00	1.30	2.200-2.600

### SHUTTER PLAIN (18mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3232	40.00	18.00	0.75	1.100-1.300
3233	40.00	18.00	0.95	1.300-1.600
3234	40.00	18.00	1.10	1.600-18.00
3235	40.00	18.00	1.40	1.800-2.200

### INTERLOCK (18mm)




Section No.	A	B	C	T	Weight in Kg. / 12 ft.
3236	40.00	27.00	18.00	0.75	1.200-1.400
3237	40.00	27.00	18.00	0.90	1.400-1.600
3238	40.00	27.00	18.00	1.10	1.600-1.800
3239	40.00	27.00	18.00	1.20	1.800-2.200

### SHUTTER SIDE & TOP (18mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3240	40.00	18.00	0.70	1.100-1.300
3241	40.00	18.00	0.95	1.300-1.600
3242	40.00	18.00	1.10	1.600-1.800
3243	40.00	18.00	1.40	1.800-2.100

TWO TRACK SIDE & TOP (18mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3244	62.00	31.75	0.90	1.700-1.900
3245	62.00	31.75	1.10	2.000-2.200
3246	62.00	31.75	1.30	2.200-2.400

TWO TRACK BOTTOM (18mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3247	62.00	31.75	0.80	1.800-2.000
3248	62.00	31.75	1.10	2.100-2.300

THREE TRACK SIDE&TOP (18mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3253	92.00	30.00	1.10	2.500-2.800

THREE TRACK BOTTOM (18mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3254	92.00	30.00	1.10	2.700-3.100

### SHUTTER (15mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3267	38.00	15.00	0.90	1.000-1.200
3268	38.00	15.00	1.10	1.200-1.400
3269	38.00	15.00	1.30	1.400-1.600
3270	38.00	15.00	1.50	1.600-1.800

### INTER LOCK (15mm)




Section No.	A	B	C	T	Weight in Kg. / 12 ft.
3271	38.00	20.50	15.00	0.80	1.000-1.200
3272	38.00	20.50	15.00	1.00	1.200-1.400
3273	38.00	20.50	15.00	1.20	1.400-1.600
3274	38.00	20.50	15.00	1.40	1.600-1.800
3275	38.00	20.50	15.00	1.60	1.800-2.000

### TWO TRACK (15mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3276	45.20	35.00	0.70	1.300-1.500
3277	45.20	35.00	0.80	1.500-1.700
3277-A	45.20	35.00	1.00	1.700-1.900
3277-B	45.20	35.00	1.20	1.900-2.200

Two Track Top & Side (30 mm)




SectionNo.	A	B	T	Weightin Kg./12ft
3285	83.0	41.0	1.30	3.300 - 4.500

Two Track Bottom (30 mm)




SectionNo.	A	B	T	Weightin Kg./12ft
3288	83.0	41.0	1.30	3.750 - 5.000

Interlock (30 mm)




SectionNo.	A	B	C	T	Weightin Kg./6metre
3290	50.0	40.0	12.0	1.50	3.150 -4.000
3295	50.0	40.0	20.0	1.50	3.150 - 4.150

Shutter Plain (30 mm)




SectionNo.	A	B	C	T	Weightin Kg./12ft
3291	50.0	30.0	12.0	1.50	2.600 - 3.500
3296	50.0	30.0	20.0	1.50	2.500 - 3.500

Shutter Side & Top (30 mm)




SectionNo.	A	B	T	Weightin Kg./12ft
3292	60.0	30.0	1.50	2.800-3.200

Hollow Shutter Side & Top (30 mm)




SectionNo.	A	B	T	Weight in Kg./12ft
3297	81.50	30.00	1.50	3.900 - 5.000

### CASEMENT WINDOW "Z"




Section No.	A	B	T	Weight in Kg. / 12 ft.
3301	33.00	24.50	1.60	1.400-1.600
3302	33.00	24.50	2.10	1.600-2.000
3303	33.00	24.50	2.50	2.000-2.500
3304	33.00	24.50	3.00	2.500-3.000

### CASEMENT WINDOW MULLION




Section No.	A	B	T	Weight in Kg. / 12 ft.
3307	59.00	33.00	1.80	2.400-2.800
3308	59.00	33.00	2.00	2.800-3.200
3309	59.00	33.00	2.50	3.600-4.400

### CASEMENT WINDOW "h"




Section No.	A	B	T	Weight in Kg. / 12 ft.
3313	33.00	38.50	1.60	1.400-1.700
3314	33.00	38.50	1.80	1.700-2.100
3315	33.00	38.50	2.20	2.100-2.400
3316	33.00	38.50	2.50	2.400-2.800
3317	33.00	38.50	3.20	2.800-3.300

MULLION WITH SCREW BOX




SectionNo.	A	B	T	Weight in Kg./12ft
3310	57.00	33.80	1.35	2.600-3.000
3311	57.00	33.80	1.65	3.000-3.500

PLAIN "h" SECTION




SectionNo.	A	B	T	Weight in Kg./12ft
3320	38.10	33.00	2.30	1.700 - 2.500

CASEMENT WINDOW "h" 34 MM




SectionNo.	A	B	T	Weight in Kg./12ft
5757	44.00	34.00	2.60	1.800 - 2.200

CASEMENT WINDOW "Z" 34 MM




SectionNo.	A	B	T	Weight in Kg./12ft
5758	44.00	34.00	2.60	1.750 - 2.200

CLIP 34 MM




SectionNo.	A	B	T	Weight in Kg./12ft
5907	31.00	17.20	1.10	0.550 - 0.900

### SHUTTER PLAIN (20mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3556	38.90	20.00	1.00	1.100-1,500
3557	38.90	20.00	1.20	1.500-1.700
3557-A	38.90	20.00	1.40	1.800-2000
3557-B	38.90	20.00	1.60	2.000-2.300

### INTER LOCK (20mm)




Section No.	A	B	C	T	Weight in Kg. / 12 ft.
3558	38.90	29.00	20.00	1.25	1.800-2.000
3558-A	38.90	29.00	20.00	1.50	2.000-2.200
3558-B	38.90	29.00	20.00	1.70	2.200-2.600

### SHUTTER TOP & BOTTOM (20mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3559	41.00	20.00	1.20	1.350-1.550
3559-A	41.00	20.00	1.35	1.600-1.800
3559-B	41.00	20.00	1.50	1.800-2.100

TWO TRACK SIDE & TOP (20mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3560	62.00	30.00	0.80	1.800-2.000
3560-A	62.00	30.00	1.00	2.000-2.400
3560-B	62.00	30.00	1.30	2.400-2.800
3560-C	62.00	30.00	1.60	2.800-3.500

TWO TRACK BOTTOM (20mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3561	62.00	30.00	0.80	2.000-2.400
3561-A	62.00	30.00	0.95	2.400-3.000
3561-B	62.00	30.00	1.50	3.000-3.800

TWO TRACK SIDE & TOP (20mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3565	62.00	45.00	1.00	3.000-3.500
3566	62.00	45.00	1.30	3.500-4.000

TWO TRACK BOTTOM (20mm)




Section No.	A	B	T	Weight in Kg. / 12 ft.
3570	62.00	30.00	0.80	3.150-3.600


**SPL SECTIONS**




**SECTION NO: 9401**  
**WT./20FEET: 2.100-2.500**




**SECTION NO: 9402**  
**WT./3.66M: 1.700-2.100**




**SECTION NO: 9403**  
**WT./3.66M: 3.400-3.800**




**SECTION NO: 9404**  
**WT./3.66M: 0.750-1.000**




**SECTION NO: 9405**  
**WT./20FEET: 2.000-2.500**



**SECTION NO: 9406**  
**WT.3.66M: 2.100-2.500**




**SECTION NO: 9407A&B**  
**WT./3.66M: 0.500-0.700**




**SECTION NO: 9408**  
**WT./3.66M: 1.300-1.700**


SPL SECTIONS




SECTION NO: 9409  
WT./3.66M: 3.400-3.800




SECTION NO: 9410  
WT./3.66M: 2.400-2.800




SECTION NO: 9411  
WT./3.66M: 1.500-1.800




SECTION NO: 9412  
WT./3.66M: 3.800-4.400




SECTION NO: 9413  
WT./3.66M: 0.700-1.000



SECTION NO: 9414  
WT./3.66M: 0.950-1.200




SECTION NO: 9415  
WT./3.66M: 1.900-2.300




SECTION NO: 9416  
WT./3.66M: 0.950-1.200

SPL SECTIONS




SECTION NO: 9417  
WT./3.66M: 0.500-0.700


**SPL SECTIONS**




SECTION NO: 9501  
WT./3.66M: 0.950-1.300




SECTION NO: 9502  
WT./3.66M: 0.500-0.700




SECTION NO: 9503  
WT./3.66M: 1.400-1.800




SECTION NO: 9504  
WT./3.66M: 0.800-1.000




SECTION NO: 9505  
WT./3.66M: 0.800-1.000



SECTION NO: 9506  
WT.3.66M: 3.800-4.400




SECTION NO: 9507  
WT./3.66M: 2.700-3.200




SECTION NO: 9508  
WT./3.66M: 3.000-3.600


SPL SECTIONS




SECTION NO: 9509  
WT./3.66M: 2.700-3.200




SECTION NO: 9510  
WT./3.66M: 5.500-6.500




SECTION NO: 9511  
WT./3.66M: 8.800-9.500




SECTION NO: 9512  
WT./3.66M: 8.750-10.000




SECTION NO: 9513  
WT./3.66M: 0.600-0.900



SECTION NO: 9514  
WT.3.66M: 10.800-11.800




SECTION NO: 9515  
WT./3.66M: 14.800-15.800




SECTION NO: 9516  
WT./3.66M: 10.000-11.000


**SPL SECTIONS**




SECTION NO: 9551  
WT./3.66M: 0.900-1.100




SECTION NO: 9552  
WT./3.66M: 1.700-2.000




SECTION NO: 9553  
WT./3.66M: 2.000-2.400




SECTION NO: 9554  
WT./3.66M: 0.600-0.800




SECTION NO: 9555  
WT./3.66M: 2.000-2.400











SECTION NO: 9556  
WT./3.66M: 5.000-5.600












SECTION NO: 9557  
WT./3.66M: 1.700-2.100



SECTION NO: 9558  
WT./3.66M: 1.300-1.600

SPL SECTIONS	
 <p>SECTION NO: 5501 WT./ 3.66 M: 0.420-0.500</p>	 <p>SECTION NO: 5502 WT./ 3.66 M: 0.450-0.500</p>
 <p>SECTION NO: 5503 WT./ 3.66 M: 0.420-0.500</p>	 <p>SECTION NO: 5504 WT./ 3.66 M: 1.150-1.400</p>
 <p>SECTION NO: 5505 WT./ 3.66 M: 0.600-0.800</p>	 <p>SECTION NO: 5506 WT./ 3.66 M: 0.750-1.000</p>
 <p>SECTION NO: 5507 WT./ 3.66 M: 0.700 -1.000</p>	 <p>SECTION NO: 5508 WT./ 3.66 M: 1.900-2.200</p>


SPL SECTIONS	
 <p>SECTION NO: 5509 WT./ 3.66 M: 4.700-5.200</p>	 <p>SECTION NO: 5510 WT./ 3.66 M: 2.500-3.000</p>
 <p>SECTION NO: 5511 WT./ 3.66 M: 4.500 - 5.200</p>	 <p>SECTION NO: 5512 WT./ 3.66 M: 0.640-0.850</p>
 <p>SECTION NO: 5513 WT./ 3.66 M: 0.640-0.850</p>	 <p>SECTION NO: 5514 WT./ 3.66 M: 1.000 - 1.200</p>
 <p>SECTION NO: 5515 WT./ 3.66 M: 1.500-1.800</p>	 <p>SECTION NO: 5516, 5517 WT./ 3.66 M: 0.900-1.200, 1.250-1.500</p>



CAT - 1

:-69:-


All Dimensions are in mm



CAT - 1

:-70:-


All Dimensions are in mm



CAT - 1

--:71:-


All Dimensions are in mm



CAT - 1

--:72:-


All Dimensions are in mm



CAT - 1

:-73:-


All Dimensions are in mm



CAT - 1

:-74:-


All Dimensions are in mm



CAT - 1

--75--



All Dimensions are in mm




CAT - 1

--76--

All Dimensions are in mm






CAT - 1

--79--


All Dimensions are in mm



CAT - 1

--80--


All Dimensions are in mm



CAT - 1

--81--



All Dimensions are in mm




CAT - 1

--82--

All Dimensions are in mm






CAT - 1

--85--



All Dimensions are in mm







CAT - 1


--86--

All Dimensions are in mm










CAT - 1

--93--


All Dimensions are in mm



CAT - 1

--94--


All Dimensions are in mm



CAT - 1

--95--



All Dimensions are in mm




CAT - 1

--96--

All Dimensions are in mm






CAT - 1

--99--



All Dimensions are in mm







CAT - 1



--100--


All Dimensions are in mm












CAT - 1

-:109:-


All Dimensions are in mm



CAT - 1

-:110:-


All Dimensions are in mm



CAT - 1

-:111:-



All Dimensions are in mm







CAT - 1



-:112:-



All Dimensions are in mm



















CAT - 1

-:125:-


All Dimensions are in mm



CAT - 1

-:126:-


All Dimensions are in mm



CAT - 1

-:127:-



All Dimensions are in mm







CAT - 1



-:128:-



All Dimensions are in mm























CAT - 1

-:143:-


All Dimensions are in mm



CAT - 1

-:144:-


All Dimensions are in mm



CAT - 1

-:145:-



All Dimensions are in mm




CAT - 1

-:146:-

All Dimensions are in mm






CAT - 1

-:149:-



All Dimensions are in mm







CAT - 1



-:150:-



All Dimensions are in mm











































CAT - 1

-:175:-



All Dimensions are in mm







CAT - 1



-:176:-


All Dimensions are in mm













## RECTANGULAR TUBE



Section No.	A	B	T	Weight in Kg. / 12 ft.
5576 CC	77.80	20.70	1.70	3.300-3.900
5654	60.00	35.00	2.40	4.200-4.600
5715 G	84.00	42.00	1.20	3.300-3.600
5808	75.00	50.00	2.00	4.600-5.300
5817	63.00	57.00	2.00	4.400-5.300
5870-L	50.00	20.00	1.10	1.400-1.800
5922	110.0	57.00	1.80	6.000-7.000
6193	40.00	20.00	3.00	3.100-3.800
6209	76.00	38.10	2.40	3.300-3.800
6243	80.00	50.00	2.00	5.000-5.800
6247	76.00	21.00	3.00	5.150-6.000
6258	40.00	20.00	2.00	3.150-4.000
6259	50.00	20.00	2.00	1.375-1.750
6278	70.00	38.00	2.00	4.200-5.000
6304-L	50.00	20.50	1.10	1.300-1.700
6369 IN.R	60.00	30.00	2.50	4.000-4.800


G - General  
 CC - Corner Chamfer  
 L - Ladder  
 IN.R - Inner Radius  
 R - Railway  
 R.R - Root Radius

## ROUND TUBE




Section No.	D	T	Weight in Kg. / 12 ft.
5696	76.00	1.50	3.600-4.000
5704-STEP	100.0	2.20	8.250-9.000
5711	100.0	3.00	8.800-9.600
5769	8.00	1.00	0.250-0.450
5846	38.00	7.50	7.000-8.000
5847	48.00	8.50	10.000-11.000
5899-R	50.00	2.50	3.500-4.000
5942-R	40.00	2.00	2.300-2.800
6009	27.50	2.50	1.900-2.600
6010	43.50	3.25	3.900-4.800
6011	53.80	3.65	5.500-6.500
6077	42.50	6.70	7.600-8.600
6085	38.00	3.00	3.000-3.800
6222	8.50	1.00	0.220-0.400
6225	8.50	1.50	0.300-0.500
6312-EB	61.00	5.45	9.500-10.500
6316-EB	91.24	7.62	19.400-20.600
6357	115.0	2.00	7.200-8.200
6358 STEP	115.0	2.00	7.500-8.500

## SQUARE TUBE




Section No.	A	T	Weight in Kg. / 12 ft.
5543	76.00	1.80	5.200-5.700
5653	35.00	2.40	3.000-3.500
5663	60.00	1.40	3.200-3.600
5809	50.00	2.00	3.800-4.200
5871	40.00	2.00	3.300-3.800
5872	44.45	2.00	3.400-4.000
6273	80.00	2.00	6.400-7.400




Section No.	A	T	Weight in Kg. / 12 ft.
5666	40.00	3.00	1.200-1.800
5667	30.00	2.00	0.600-1.100
5668	25.00	1.50	0.350-0.700
5700	6.00	4.00	0.220-0.350
5701	10.00	4.00	0.350-0.600
5724	38.10	1.60	0.600-0.750
5762	20.00	1.60	0.280-0.380
5773	25.00	2.00	0.500-0.650
5829-G	25.00	6.00	1.400-1.800
5830-G	50.00	6.00	2.900-3.500
5831-G	100.0	6.00	5.800-6.500
5832-G	100.0	12.0	11.500-12.500
5833-G	125.0	12.0	14.500-15.500
5957	60.00	40.0	24.200-25.500
5967	25.00	2.60	0.580-0.800
6001	52.00	18.5	9.500-10.500
6002	30.00	18.5	5.400-6.400
6050	38.00	2.00	0.700-1.000
6051 CR	25.00	8.00	1.900-2.300
6052	100.0	5.00	4.800-5.600
6059	16.00	7.00	1.050-1.500
6109	50.00	3.00	1.400-1.800
6127	15.00	3.00	0.430-0.650
6160	13.00	3.00	0.380-0.600
6161	15.88	2.40	0.375-0.650
6183	19.00	5.00	0.900-1.300
6373	35.00	5.00	1.650-2.200
6374	60.00	6.00	3.500-4.400
6446	107.50	8.00	8.400-9.500
6449	40.00	20.00	7.900-9.000

RAILWAY HALF ROUND FLAT




Section No.	A	T	Weight in Kg. / 12 ft.
5698	25.40	3.18	0.750-0.950
5699	38.10	3.18	1.150-1.350
5778	16.00	3.18	0.400-0.600
6126	25.00	3.00	0.750-1.000
6390	25.00	4.00	0.950-1.300

RAILWAY EQUAL ANGLE




Section No.	A	T	R.R	Weight in Kg. / 12 ft.
5639-G	50.00	3.00		3.200-3.500
5640-G	40.00	3.00		2.200-2.500
5664	30.00	3.00		1.600-2.100
5665	75.00	2.00		2.700-3.500
5669	25.00	1.60		0.700-1.100
5670	25.00	2.00		0.950-1.400
5811	50.00	4.00		3.700-4.200
5843	30.00	2.00		1.100-1.500
5850	40.00	6.00		4.300-5.500
5914	50.00	5.00	5.00	4.500-5.500
6074	21.00	2.00		0.800-1.200
6091	21.00	3.20		1.200-1.600
6135	30.00	2.50		1.350-1.700
6145	40.00	2.00		1.500-2.000
6187 CR	25.40	3.18		1.400-1.900
6260	12.50	2.00		0.450-0.700
6354	25.00	2.00	4.00	0.950-1.300
6359	75.00	2.00	7.00	2.900-3.500
6366	20.00	2.00	4.00	0.750-1.100
6454	25.00	1.50	4.00	0.700-1.000

RAILWAY UNEQUAL ANGLE




Section No.	A	B	T	R.R	Weight in Kg. / 12 ft.
5671	75.00	25.00	2.00		1.950-2.300
5672	75.00	12.00	2.00		1.700-2.100
5673	50.00	9.50	1.60		0.900-1.200
5674	25.00	15.00	3.00		0.600-0.850
5675	25.00	9.50	1.60		0.500-0.750
5703	25.00	13.00	1.60		0.600-0.900
5712	75.00	50.00	6.00		7.000-7.800
5772	40.00	20.00	2.00	5.00	1.100-1.600
5902	40.00	20.00	3.00		1.650-2.000
5939 CR	58.00	45.00	5.00		2.400-3.400
5964	40.00	20.00	2.00		1.100-1.600
6124-G	50.00	25.00	5.00		3.400-4.000
6144	17.00	10.00	2.00		0.450-0.750
6156	19.00	15.90	2.40		0.700-1.000
6188	25.40	19.63	3.20		1.250-1.600
6214	20.00	14.00	1.20		0.350-0.700
6285	64.00	30.00	3.00	3.00	2.500-3.100
6360	75.00	25.00	2.00	7.00	1.900-2.500
6361	25.00	13.00	1.60	4.00	0.550-0.800
6395	50.00	10.00	1.60	4.00	0.950-1.300
6417	75.00	12.00	2.00	4.00	1.600-2.000
6418	25.00	10.00	1.60	4.00	0.500-0.700
6442	75.00	25.00	2.00	4.00	1.850-2.200



CAT - 1

--B5--


All Dimensions are in mm



CAT - 1

--B6--


All Dimensions are in mm



CAT - 1

-:B7:-


All Dimensions are in mm



CAT - 1

-:B8:-


All Dimensions are in mm



CAT - 1

:-B9:-


All Dimensions are in mm



CAT - 1

:-B10:-


All Dimensions are in mm



CAT - 1

-:B11:-


All Dimensions are in mm



CAT - 1

-:B12:-


All Dimensions are in mm



CAT - 1

-:B13:-


All Dimensions are in mm



CAT - 1

-:B14:-


All Dimensions are in mm



CAT - 1

-:B15:-


All Dimensions are in mm



CAT - 1

-:B16:-


All Dimensions are in mm



CAT - 1

-:B17:-


All Dimensions are in mm



CAT - 1

-:B18:-


All Dimensions are in mm



CAT - 1

-:B19:-

All Dimensions are in mm




CAT - 1


-:B20:-

All Dimensions are in mm


RAILWAY SPL SECTIONS




SECTION NO: 6479  
WT./3.66M: 2.500-3.000




SECTION NO: 6480  
WT./3.66M: 2.000-2.500









SECTION NO: 6481  
WT.3.66M: 10.000-11.000







CURTAIN WALL SECTIONS




A/C GRILL SECTIONS




SECTION NO: 5595  
WT./ 3.66 M: 0.280-0.380




SECTION NO: 5596  
WT./ 3.66 M: 0.280-0.400




SECTION NO: 5597  
WT./ 3.66 M: 0.300-0.400




SECTION NO: 5716  
WT./ 3.66 M: 0.400-0.600




SECTION NO: 5717  
WT./ 3.66 M: 0.400-0.700



SECTION NO: 6080  
WT./3.66M: 0.500-0.800




SECTION NO: 6079  
WT.3.66M: 0.350-0.700




SECTION NO: 6402  
WT./3.66M: 0.280-0.450


LOOVER SECTIONS




SECTION NO: 5661  
WT./ 3.66 M: 1.700-2.100




SECTION NO: 5662  
WT./ 3.66 M: 1.350-1.700




SECTION NO: 5694  
WT./ 3.66 M: 1.500-1.800




SECTION NO: 5733  
WT./ 3.66 M: 0.500 - 0.800



SECTION NO: 5853  
WT./3.66M: 0.900-1.300



SECTION NO: 5894  
WT./3.66M: 0.450-0.700




SECTION NO: 6081  
WT./3.66M: 3.500-4.000




SECTION NO: 6254  
WT./3.66M: 1.000-1.500


LOOVER SECTIONS




SECTION NO: 6282  
WT./3.66M: 0.850-1.200



SECTION NO: 6397  
WT./3.66M: 1.450-1.900




SECTION NO: 6461  
WT./3.66M: 0.700-1.100




SECTION NO: 6462  
WT./3.66M: 1.900-2.400


**U. CHANNEL**




**SECTION NO: 5660**  
**WT./ 3.66 M: 1.600-1.900**




**SECTION NO: 5676**  
**WT./ 3.66 M: 9.600-10.200**




**SECTION NO: 5768**  
**WT./ 3.66 M: 1.200-1.600**




**SECTION NO: 5780**  
**WT./ 3.66 M: 7.000-7.750**




**SECTION NO: 5802**  
**WT./ 3.66 M: 1.000-1.300**



**SECTION NO: 5868**  
**WT./3.66M: 0.700-1.100**




**SECTION NO: 5919**  
**WT./3.66M: 2.100-2.800**




**SECTION NO: 5980**  
**WT./3.66M: 4.400-5.400**


U. CHANNEL




SECTION NO: 6137  
WT./3.66M: 0.700-1.000




SECTION NO: 6139  
WT./3.66M: 2.700-3.500




SECTION NO: 6140  
WT./3.66M: 1.550-2.000




SECTION NO: 6155  
WT./3.66M: 0.750-1.000




SECTION NO: 6197  
WT./3.66M: 1.150-1.500



SECTION NO: 6261  
WT./3.66M: 1.400-1.800




SECTION NO: 6274  
WT./3.66M: 4.700-5.400




SECTION NO: 6363  
WT./3.66M: 0.800-1.200


U. CHANNEL




SECTION NO: 6371  
WT./3.66M: 4.100-4.800



SECTION NO: 6391  
WT./3.66M: 11.600-12.800



SECTION NO: 6411  
WT./3.66M: 1.050-1.350



SECTION NO: 6425  
WT.3.66M: 1.900-2.300